Amendment and Response to Office Action U.S. Patent Application Serial No. 10/550,223 Filed: June 9, 2006

Page 2 of 8

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the

application;

Listing of Claims:

(Currently amended) A composition high capacity filtration media consisting

of a porous substrate impregnated with a permanganate and water, wherein the permanganate

is a permanganate salt having a solubility in water greater than that of potassium

permanganate, and wherein the concentration of permanganate salt in the eomposition

filtration media is approximately 8-25% permanganate salt by weight, and wherein the

filtration media is configured to remove contaminants from a high flow air stream.

(Currently amended) The eomposition <u>filtration media</u> of claim 1, wherein the

permanganate salt is selected from the group consisting of sodium permanganate, magnesium

permanganate, calcium permanganate, barium permanganate, lithium permanganate, or a

eombination and combinations thereof.

3. (Currently amended) The composition filtration media of claim 1, wherein the

composition filtration media comprises at least about 13 to about 25% permanganate salt by

weight.

4. (Currently amended) The eomposition filtration media of claim 1, wherein the

eomposition filtration media comprises at least about 15 to about 20 % permanganate salt by

weight.

(Canceled).

US2000 11971733.1

5.

Amendment and Response to Office Action U.S. Patent Application Serial No. 10/550,223 Filed: June 9, 2006

Page 3 of 8

6. (Canceled).

7. (Currently amended) The eomposition filtration media of claim 1, wherein the

permanganate salt comprises sodium permanganate.

(Canceled).

9. (Currently amended) The composition filtration media of claim 1, wherein the

porous substrate comprises activated alumina, a silica gel, a zeolite, a zeolite-like mineral,

kaolin, an adsorbent clay, activated bauxite, or a combination thereof, and wherein the porous substrate is between about 40 and about 80% by weight of the empesition filtration

media.

10. (Currently amended) The eomposition filtration media of claim 9, wherein the

zeolite or zeolite-like mineral is selected from amicite, analcime, pollucite, boggsite,

chabazite, edingtonite, faujasite, ferrierite, gobbinsite, harmotome, phillipsite, clinoptilolite,

mordenite, mesolite, natrolite, garronite, perlialite, barrerite, stilbite, thomsonite, kehoeite,

pahasapaite, tiptopite, hsianghualite, lovdarite, viseite, partheite, prehnite, roggianite,

apophyllite, gyrolite, maricopaite, okenite, tacharanite, tobermorite, or a combination and

combinations thereof.

11-33. (Canceled).

34. (New) The filtration media of claim 1, wherein the filtration media is

configured to remove contaminants from an air stream moving through the filtration media at

a flow rate of from 10 to 750 ft/min.

US2000 11971733.1

Amendment and Response to Office Action U.S. Patent Application Serial No. 10/550,223 Filed: June 9, 2006 Page 4 of 8

- 35. (New) The filtration media of claim 34, wherein the filtration media is configured to remove contaminants from an air stream moving through the filtration media at a flow rate of from 60 to 100 fl/min.
- 36. (New) The filtration media of claim 1, wherein the contaminants are selected from the group consisting of sulfur compounds, ammonia, chlorine, formaldehyde, urea, carbon monoxide, oxides of nitrogen, mercaptans, amines, isopropyl alcohol, ethylene and combinations thereof.